

PLANE TYPE: J1N1 "Irving"

Nakajima J1N1-S Model 11

Night Fighter

POINT VALUE: 18

MOVEMENT CHARACTERISTICS CHART													
ALTITUDE (x1000)	SPEEDS				SPEED CHANGE		ALTITUDE CHANGE		MANEUVERS				
	STALL SPEED	MANEUVER SPEED	LEVEL SPEED	DIVE SPEED	POWER FACTORS	BRAKE FACTORS	CLIMB RATE	DIVE RATE	BANK	TURN	SLIP	HALF-LOOP	HALF-ROLL
0-4.9	0-2	3-4	5	6-7	2	2	.3	.9	3	2	2	6	6
5.0-9.9	0-2	3-4	5-6	7	2	2	.2	1.0	3	3	3	6	7
10.0-14.9	0-2	3-4	5-6	7	2	2	.2	1.0	4	3	3	6	7
15.0-19.9	0-2	3-4	5-6	7-8	1	2	.1	1.0	4	3	3	7	8
20.0-24.9	0-3	4	5-6	7-8	1	1	.1	1.0	5	4	4	8	9
25.0-29.9	0-4	-	5	7-8	1	1	.1	1.1	6	5	5	8	10
30.0-30.6	0-4	-	5	7-9	0	1	.1/3	1.1	7	6	6	9	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEVEL	-	-	-	-	-	-	-	-	+2	+2	+2	+2	+2
DIVE	-	-	-	-	P	-	+3	-	+3	+3	+3	+3	+3
LOADED	0	-1	-1	-1	-	-	-2	-4	+1	+2	+2	P	P

TARGET CHARACTERISTICS CHART						
W	6		Cn	8	Mg	-
F	6		L	2		
C	3		C	-		
E	3	E	-	E	-	E 3
G		8C		8C		
		(5)		(5)		
		FH		FL		

SILHOUETTE MODIFIER: +3
 FIRE MODIFIER: 0
 TYPE ENGINE(OP): R
 BLIND SPOTS (OP):
 H: A(-1),12(+1),2,4,6,8,10(-2)
 M: 12(+2),2,10(+1),4,8(-2),6(-3)
 L: B(-2),12(+1),2,4,8,10(-1),6(-3)

Producer: Imperial Japan
 Name: "Gekko"

NOTES: Introduced in August '43; about 470 were built. Some carried radar. Primary Japanese night fighter.

This is a Battleline format translation of a data card that was published in The General Vol 23 #1 1986

PLANE TYPE: Ki-100

Kawasaki Ki-100a and Ki-100b Type 5 Fighter

Day Fighter

POINT VALUE: 18

MOVEMENT CHARACTERISTICS CHART													
ALTITUDE (x1000)	SPEEDS				SPEED CHANGE		ALTITUDE CHANGE		MANEUVERS				
	STALL SPEED	MANEUVER SPEED	LEVEL SPEED	DIVE SPEED	POWER FACTORS	BRAKE FACTORS	CLIMB RATE	DIVE RATE	BANK	TURN	SLIP	HALF-LOOP	HALF-ROLL
0-4.9	0-2	3-5	6	7-8	2	2	.5	1.0	2	1	1	3	2
5.0-9.9	0-2	3-5	6-7	8	2	2	.5	1.1	2	2	2	3	2
10.0-14.9	0-2	3-5	6-7	8-9	1	2	.4	1.1	2	2	2	4	3
15.0-19.9	0-3	4-5	6-7	8-10	1	1	.4	1.1	2	2	2	4	3
20.0-24.9	0-3	4	5-6	8-10	1	1	.3	1.2	3	3	3	5	4
25.0-29.9	0-3	4	5-6	8-10	1	1	.2	1.2	3	3	3	5	5
30.0-34.9	0-4	-	5-6	8-10	1	1	.1	1.2	4	4	4	6	6
35.0-36.1	0-5	-	6	7-10	1	1	.1/3	1.2	5	4	4	7	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEVEL	-	-	-	-	-	-	-	-	+1	+1	+1	+1	+1
DIVE	-	-	-	-	P	-	+3	-	+2	+2	+2	+2	+2
LOADED	+1	-1	-1	-1	-	-	-1	-3	+1	+2	+3	P	P

TARGET CHARACTERISTICS CHART						
W	5		Cn	10	Mg	5
F	6		L	3		
C	3		C	-		
E	3	E	-	E	-	E -
G	2M 4C			4C	2M	
	(4) (5)			(5)	(4)	
		FF				

SILHOUETTE MODIFIER: +2
 FIRE MODIFIER: +2
 TYPE ENGINE(OP): R
 BLIND SPOTS (OP):
 H: A(-1), 12(+1), 2,10, (0),4,8(-1),6(-2)
 A[+1], 12,2,10,[+1]; Ki-100B
 M:12(+2), 2,10(+1),4,8(-2), 6(-3)
 L:B(-2),12(+1),2,10(-1),4,8(-2),6(-3)

Producer: Imperial Japan
 Name: Army Type 5 Fighter

NOTES: Production began in spring of 1945. Radial engine version of Ki-61 "Tony". About 400 were produced by the end of the war. Variant Ki-100b has different blind spot modifiers [in brackets]. Can carry two bombs loaded.

This is a Battleline format translation of a data card that was published in The General Vol 23 #1 1986